



PEŠTAN

we build trust



PIPING
SOLUTIONS




BATHROOM
SOLUTIONS



AGRICULTURE
SOLUTIONS



HOUSEHOLD
SOLUTIONS



About us



- Private company Peštan is a leader in the Balkans in the production and distribution of products and polymer solutions.
- Founded in 1989
- Located in Arandjelovac in Serbia
- 1200 employees in Serbia
- 200 employees abroad



About us

Quality that speaks all languages

PRESENCE IN 80 COUNTRIES

- **Serbia** - Production
- **Bosnia, Romania** - Sales
- **Croatia, Albania, UAE, Russia** - Offices
- **Exporting Countries**



KEY FACTS

80
AND MORE
COUNTRIES
WHERE WE EXPORT

7.000
DIFFERENT PRODUCTS
IN OUR PRODUCTION
ASSORTMENT

50,000
TONS OF MATERIAL
PROCESSED
ANNUALLY

Bathroom solutions

- Shower Drain
 - More than 300 different models, square and linear, different sizes, from 1 EUR
 - Brend – total differentiation:
 - „Primo“ – economic segment
 - „Confluo“ – best buy medium segment
- Flushing cistern and toilet bowl with toilet seat
 - „Fluenta“ Flushing cistern
 - „Fluenta“ toilet bowl - standard, rimless




BATHROOM
SOLUTIONS

„Self Cleaning“ S Base

- Low installation height 50 mm
- DN 50 mm
- Flow rate 48 l/min
- 360 ° rotation
- Self Cleaning




PEŠTAN
CON**LUO**
SMART DRAINS



Confluo


PEŠTAN
CONFLUO
SMART DRAINS



Confluo Premium line

- Sizes: 300, 450, 550, 650, 750, 850 mm
- Minimum Installation height – 52mm
- Maximum flow rate – 48 l/min
- Reversible grid – 2 in 1 system
- 360 ° rotatable base
- S base – Self cleaning
- No visible plastic parts
- Around the grid channel for water





White Glass Chrome /
24k Gold Plated

Black Glass /
24k Gold Plated

24k Gold Plated

White Glass / Chrome

Black Glass / Chrome

Brushed Chrome / Ceramic

Brushed Chrome /
Ceramic

| 2 in 1 System & grid design options








PEŠTAN
CONFLUO
SMART DRAINS



ALS ANTI-LEAKING SYSTEM

ALS - Anti-Leaking System represents combination of drain construction and proper installation, which allows all leaked and condensed water under the tiles to go back to the drain.



During the years, water in bathroom has tendency to build under the tiles as consequence of erosion of grout and moisture in the bathroom. Usually it takes 5-7 years until this problem happens and then a leakage shows up in a place

We have solved this problem with our construction of grid holder, where you have no barrier for water under the tiles. Also, in order that this system works properly, it is very important to do correct slopes in the screed and proper waterproofing as per our instruction manual.



Confluo Frameless line

- **New frameless design**
- Sizes: 300, 450, 550, 650, 750, 850, 950, 1050, 1150
- ALS Anti leaking System
- Minimum Installation height – 62 mm
- Maximum flow rate – 48 l/min
- 360 ° rotatable self cleaning S base
- Reversible grid - 2 in 1 system
- Around the grid channel for water



2 in 1 System & grid design options





PEŠTAN
CONFLUO
SMART DRAINS



